

# COMPLETE HTML TAGS LIST WITH EXAMPLES

In the last article we discussed some HTML tags like H1 & P , so here is a list of HTML tags list , that will help you understand Html tags easily . The latest version of Html is Html 5 , and many new elements were added to it and . Every browser is now adapting to Html 5 , but still no browser totally supports it . We have prepared a list of all html tags with description (Including Html 5 and below).

## Complete Html Tags list with examples

Tag	Short description
<b>THE ROOT ELEMENT</b>	
<html>	Main container
<b>DOCUMENT METADATA</b>	
<head>	The document's header
<title>	The document's title
<base>	Base URI to solve relative URIs
<link>	Relational information for documents
<meta>	Variable for the document
<style>	Presentational attributes

## SECTIONS

<body>	The document's body
<article>	Distributable content
<section>	Defines a section
<nav>	Navigational section
<aside>	Content only slightly related
<h1>	A level 1 heading
<h2>	A level 2 heading
<h3>	A level 3 heading
<h4>	A level 4 heading
<h5>	A level 5 heading
<h6>	A level 6 heading
<hgroup>	Groups consecutive headings
<header>	The header of a section
<footer>	The footer of a section
<address>	Author's contact information

## GROUPING CONTENT

<p>	Paragraph
<hr>	Content separator

<pre>	Preformatted text block
<blockquote>	Block level quotation
<ol>	Ordered list
<ul>	Unordered list
<li>	List item
<dl>	Description list
<dt>	Term in a description list
<dd>	Description in a description list
<figure>	Self-contained information
<figcaption>	Caption for a figure
<main>	Main content of a section
<div>	Generic container for blocks of text

### **TEXT-LEVEL SEMANTICS**

<a>	Hyperlink
<em>	Text with emphasis
<strong>	Text with strong emphasis
<small>	Side comment
<s>	Content no longer accurate or relevant
<cite>	Citation or reference

<q>	Inline quotation
<dfn>	Term defined in the surrounding text
<abbr>	Abbreviated term
<ruby>	Ruby annotated text
<rt>	Ruby annotation
<rp>	Text to be ignored in ruby
<data>	Machine-readable information
<time>	Date and/or time
<code>	Computer code
<var>	Instance of a variable
<samp>	A program's sample output
<kbd>	Text entered by users
<sub>	Texto en subíndice
<sup>	Texto en superíndice
<i>	Text offset from the normal prose
<b>	Text offset from its surrounding content
<u>	Non-textual annotations
<mark>	Marks text in another document
<bdi>	Isolates text for bidirectional formatting

<bdo>	Overrides the bidirectional algorithm
<span>	Generic container for runs of text
 	Line break
<wbr>	Line break opportunity

### **EDITS**

<ins>	Added text
<del>	Deleted text

### **EMBEDDED CONTENT**

<picture>	Multi-source image
<img>	Image
<iframe>	Nested browsing context
<embed>	Inserts external applications
<object>	Inserts external applications
<param>	Parameter for an external application
<video>	Video
<audio>	Audio
<source>	Alternative media resource
<track>	Text tracks for videos

<map>	Client-side image map
<area>	Sector in an image map
<b>TABULAR DATA</b>	
<table>	Table
<caption>	The caption of a table
<colgroup>	Group of columns
<col>	Sets attributes for columns
<tbody>	The body of the table
<thead>	The header of the table
<tfoot>	The footer of the table
<tr>	Row
<td>	Regular cell
<th>	Header cell

## **FORMS**

<form>	Form
<label>	Label for a control
<input>	Input control
<button>	Button
<select>	List of options
<datalist>	Suggestions for controls

<optgroup>	Group of options in a list
<option>	An option in list
<textarea>	Multi-line text input
<keygen>	Key pair generation control
<output>	The output of a process
<progress>	A task's completion progress
<meter>	A measurement
<fieldset>	Group of controls
<legend>	The caption of a group of controls

## **INTERACTIVE ELEMENTS**

<details>	Collapsible content
<summary>	A summary for collapsible content
<menu>	Menu
<menuitem>	An item in a menu
<dialog>	Dialog box

## **SCRIPTING**

<script>	Embeds scripts
<noscript>	Alternative content for scripts

<template>

Plantilla para información a agregar

<canvas>

Container for dynamic bitmap graphics